


Vendor: _____

| | | |
|---|---|---|
|  | City of Rocky Mount Addendum 1 | |
| | Refer <i>ALL</i> Inquiries regarding this RFP to: Alicia Gaines Purchasing Associate III | RFP #320-130723AG – FY24 Road Resurfacing Project |
| | | RFP Due Date: 8/15/2023 |
| | Contract Type: Construction | |

FAILURE TO RETURN THIS ADDENDUM IN ACCORDANCE WITH INSTRUCTIONS MAY SUBJECT YOUR PROPOSAL TO REJECTION ON THE AFFECTED ITEM(S):

RFP Schedule Reminder

| Event | Responsibility | Date and Time |
|--------------------------------|----------------|-----------------------------|
| Issue RFP | City | Wednesday 7/26/2023 |
| Pre-Proposal Meeting | City | Tuesday 8/1/2023 10:00 a.m. |
| Submit Written Questions | Vendor | Friday 8/4/2023 12:00 noon |
| Provide Responses to Questions | City | Wednesday 8/9/2023 |
| Submit Proposals | Vendor | Tuesday 8/15/2023 2:00 p.m. |

Question and Answer

Question 1: The following bid items have listed a zero quantity. Are we to leave those at zero or are we to provide a unit price for each item?

- a. 1.02, 3.03, 3.04, 3.09, 3.10.

Answer 1: 1.02 quantity is 2275, 3.03, 3.04, 3.09, 3.10 will be contingency items with a quantity of 50 LF. Revised Proposal/Acceptance Form Addendum 1 is attached

Question 2: Will there be any patching on streets receiving FDR?

- a. The Quantity Summary Sheet (Page 5) shows SF of patching but no associated TNS.

Answer 2: There will be no patching on FDR streets

Question 3: We understand the following items are contingency items, but we would like to ask their intended application, or possibly, what they have been used for in the past?

- a. 1.15, 1.19, 1.20

Answer 3: Items are rarely used. 1.15 is for skim patching, 1.19 & 1.20 are contingencies for bridging a weak subgrade

Question 4: There is an item for Patching Existing Pavement, but we did not see a patching detail in the plans. Based on the Quantity Summary Sheet it appears the patching is with I19.0C at a depth of 5" and we just wanted to confirm that.

Answer 4: See Page 49

PATCHING

The repair of the existing pavement includes, but is not limited to, the cutting of the existing pavement to a neat vertical joint and uniform line; the removal and disposal of pavement, base, and subgrade material

Vendor: _____

as approved or directed by the Engineer; the coating of the area to be repaired with a tack coat; and conditioning of the surface on which the base course material is to be placed.

Do not excavate below the plane of the bottom of existing pavement, unless otherwise directed by the Engineer. Replace material excavated below existing pavement with Asphalt Concrete Base Course, Type 9.5B, I 19.0B or B 25.0B as directed by the engineer in layers not to exceed 5 inch compacted.

Machine places the Asphalt Concrete Base Course, in two equal layers. Perform compaction of the base course material at transverse joint by the use of mechanical hand tamps or other equipment approved by the Engineer in order to achieve required density.

Construct the pavement repair so the surface of the complete repair matches the surface of existing pavement.

Schedule operations so all areas where pavement has been removed will be repaired and all lanes of traffic restored on the same day of the pavement removal. The Contractor will be restricted to repairing one side of the existing pavement at a time unless otherwise permitted by the Engineer.

Pavement Patching shall be priced as dry installed mix and paid under "Patching Existing Pavement"

Binder for patching will be paid from item 1.21 Asphalt Binder for Plant Mix, Grade PG 64-22.

Question 5: Can we pre-mill streets receiving FDR?

Answer 5: No. pavement should be incorporated into the road base and excess material removed prior to incorporation of cement.

Question 6: Is the intended construction sequence to be patch, mill, pave, or mill, patch, pave?

Answer 6: Patch, mill, pave is preferred to minimize time street is open to traffic in milled condition.

ATTACHMENT A: PROPOSAL/ACCEPTANCE FORM Addendum 1

For

City of Rocky Mount FY 24 Road Resurfacing

| Item No. | Cl | Spec. Section | Description | Bid Quantity | Unit | Unit Price | Bid Value |
|--------------------------------|----|---------------|---|--------------|-------|------------|-----------|
| Division 01-Resurfacing | | | | | | | |
| 1.01 | | 800 | Mobilization | 1 | LS | | |
| 1.02 | | 250 | Removal of Existing Concrete, C&G/VG | 2275 | LF | | |
| 1.03 | CI | 225 | Undercut Excavation and Backfill (CI) | 100 | CY | | |
| 1.04 | | 230 | Borrow | 100 | CY | | |
| 1.05 | CI | 270 | Geotextile Soil Stabilization (CI) | 500 | SY | | |
| 1.06 | | 520 | Aggregate Base Course | 40 | TN | | |
| 1.07 | | 540.SP | Full Depth Reclamation of Asphalt Pavement | 27443 | SY | | |
| 1.08 | | 540.SP | Cement for Cement Modified FDR | 397 | TN | | |
| 1.09 | | 540 | Remove Excess FDR Material | 597 | CY | | |
| 1.10 | CI | 540 | Unclassified Excavation (CI) | 100 | CY | | |
| 1.11 | CI | 545 | Incidental Stone Base (CI) | 100 | TN | | |
| 1.12 | | 053000 | Shoulder Reconstruction | 2.3 | Sh Mi | | |
| 1.13 | | 607 | Milling Asphalt Pavement 0" to 2.5" | 32542 | SY | | |
| 1.14 | | 607 | Incidental Milling | 700 | SY | | |
| 1.15 | | 610 | Asph. Concrete Surface Course, Type S 4.75A (CI) | 500 | TN | | |
| 1.16 | | 610 | Asph. Concrete Surface Course, Type SF 9.5B (1 in) | 4580 | TN | | |
| 1.17 | | 610 | Asph. Concrete Surface Course, Type SF 9.5B (Leveling Course) | 500 | TN | | |

| Item No. | CI | Spec. Section | Description | Bid Quantity | Unit | Unit Price | Bid Value |
|----------|----|---------------|---|--------------|------|------------|-----------|
| 1.18 | | 610 | Asph. Concrete Surface Course, Type S 9.5B (2 in) | 3293 | TN | | |
| 1.19 | CI | 610 | Asph. Conc. Intermediate Course, Type I 19.0C | 500 | TN | | |
| 1.20 | CI | 610 | "Asph. Conc. Base Course, Type B25.0C (CI)" | 500 | TN | | |
| 1.21 | | 620 | Asphalt Binder for Plant Mix, Grade PG 64-22 | 614 | TN | | |
| 1.22 | | 654.SP | Patching Existing Pavement | 2193 | TN | | |
| 1.23 | CI | 815.SP | "6"" Perforated Subdrain w/ stone and fabric (CI)" | 200 | LF | | |
| 1.24 | | 846 | 2' 6" Concrete Curb and Gutter | 2080 | LF | | |
| 1.25 | | 846 | Concrete Valley Gutter | 195 | LF | | |
| 1.26 | | 858 | Adjustment of Meter Boxes or Valves | 36 | EA | | |
| 1.27 | | 858 | Adjustment of Manholes | 45 | EA | | |
| 1.28 | | 858.SP | Adjustment of Meter Boxes or Valves: Quick Set | 36 | EA | | |
| 1.29 | | 858.SP | Adjustment of Manholes: Quick Set | 36 | EA | | |
| 1.30 | | 1631 | Seeding and Mulching | 1.5 | AC | | |
| | | | | | | | |
| | | | Total for Division 01 | | | | |
| | | | Division 02-Sidewalk | | | | |
| 2.01 | | 250 | Removal of Existing Concrete Pavement (Sidewalk, Driveways) | 6 | SY | | |
| 2.02 | | 848 | Concrete Wheelchair Ramps | 1 | EA | | |
| 2.03 | | 848 | 4" Concrete Sidewalk | 100 | SY | | |
| 2.04 | | 848 | 6" Concrete Driveways | 100 | SY | | |

| Item No. | Cl | Spec. Section | Description | Bid Quantity | Unit | Unit Price | Bid Value |
|-------------------------------------|----|---------------|--|--------------|------|------------|-----------|
| Total for Division 02 | | | | | | | |
| Division 03-Pavement Marking | | | | | | | |
| 3.01 | | 1205 | THERMOPLASTIC PVT MKGLINES (4", 90 MILS) | 2700 | LF | | |
| 3.02 | | 1205 | THERMOPLASTIC PVT MKGLINES (4", 120 MILS) | 13040 | LF | | |
| 3.03 | | 1205 | THERMOPLASTIC PVT MKGLINES (8", 120 MILS) | 50 | LF | | |
| 3.04 | | 1205 | THERMOPLASTIC PVT MKGLINES (16", 120 MILS) | 50 | LF | | |
| 3.05 | | 1205 | THERMOPLASTIC PVT MKGLINES (24", 120 MILS) | 488 | LF | | |
| 3.06 | | 1205 | THERMOPLASTIC PVT MKG CHARACTER (120 MILS) | 4 | EA | | |
| 3.07 | | 1205 | THERMOPLASTIC PVT MKG SYMBOL (90 MILS) | 15 | EA | | |
| 3.08 | | 1205 | PAINT PVMT MARKINGS 4" | 13040 | LF | | |
| 3.09 | | 1205 | PAINT PVMT MARKINGS 8" | 50 | LF | | |
| 3.10 | | 1205 | PAINT PVT MKGS LINES 16" | 50 | LF | | |
| 3.11 | | 1205 | PAINT PVT MKG LINES 24" | 488 | LF | | |
| 3.12 | | 1205 | PAINT PVT MKG CHARACTER | 4 | EA | | |
| 3.13 | | 1205 | PAINT PVT MKG SYMBOL | 15 | EA | | |
| Total for Division 03 | | | | | | | |
| Total for Contract | | | | | | | |

BASIS OF AWARD/ADD ALTERNATES/DEDUCTS

1. Provide prices for the afore-noted bid alternates/deducts. Owner reserves the right to add/deduct to contract at their discretion. Unit prices to include all labor, material, and equipment cost unless otherwise noted.
2. Where unit prices are requested, Contractor to be paid for actual installed quantities verified by the Engineer. Contractor shall provide supporting documentation and load tickets as required by the project specifications. Failure to obtain authorization from the Engineer for placement of any of the unit priced items beyond the previously

authorized scope of work or failure to provide requires supporting documentation and quantity verification of material and/or quantities by the Engineer will null and void any claims by the Contractor for compensation for these items.

- 3. **Award Determination:** The award of a contract will be made to the lowest responsible bidder meeting the requirements of the Contract Documents. However, when it comes to evaluation of the proposal based on cost alone, the determination of the lowest bidder will be based solely on:
 - a. The GRAND TOTAL OF THE BASE BID (items 1 through 14) of ATTACHMENT A: Proposal/Acceptance Form (PAGE 6), without adjustments or from unsolicited bid qualifiers – no exceptions.

NAME OF BIDDER _____

Bidder acknowledges that estimated quantities are not guaranteed and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

The undersigned, as bidder, proposes and agrees if this proposal is accepted to contract with the City of Rocky Mount for the furnishing of all materials, equipment, and labor necessary to complete the construction of the work described in these documents in full and complete in accordance with plans, specifications, and contract documents, and to the full and entire satisfaction of the City of Rocky Mount for the sum of:

TOTAL BASE PROPOSAL: _____ **Dollars \$** _____
(items 1 through 14 of ATTACHMENT A: Proposal/Acceptance Form [PAGE 6]),

Respectively submitted this _____ day of _____ 20 _____

(Contractor's Name)

Federal ID#: _____

By: _____

Witness: _____

Title: _____

(Owner, partner, corp. Pres. Or Vice President)

Address: _____

(Proprietorship or Partnership)

Attest: (corporation)

Email Address: _____

(Corporate Seal)

By: _____ License #: _____

Title: _____

(Corporation, Secretary. /Ass't Secretary.)

ATTACHMENT B: ACCEPTED by the City of Rocky Mount

For

City of Rocky Mount FY24 Road Resurfacing

320-130723AG

City of Rocky Mount

Total amount of accepted by the owner, included in base proposal for the FY24 Road Resurfacing (PAGE 10-12):

\$ _____

BY: _____ Title: _____

Date: _____

PRE-AUDIT

This instrument has been preaudited in the manner required by the Budget and Fiscal Control Act.

Finance Director

Date