



PIPE SIZE	SIZE OF STEEL		A	B	C	D	E	F	WGT. PER 100	MAX. REC. LOAD LBS.*
	UPPER	LOWER								
4	1/4 X 1 1/4	3/16 X 1 1/4	5/8	5 9/16	7 13/16	3 1/2	4 1/2	1 15/16	200	1430
6	1/4 X 1 1/2	3/16 X 1 1/2	3/4	6 13/16	10 1/8	4	5 5/8	1 7/8	332	1940
8	1/4 X 1 3/4	3/16 X 1 3/4	7/8	8 5/16	12 5/8	4 1/4	7	2 1/8	503	2000
10	3/8 X 1 3/4	1/4 X 1 3/4	7/8	9 7/8	15 1/4	4 1/2	8 3/8	2 1/4	898	3600
12	3/8 X 2	1/4 X 2	7/8	10 1/2	17 1/4	3 1/2	9	1 1/4	1102	3800
16	1/2 X 2 1/2	1/4 X 2 1/2	1	15	23	6	12 7/16	2 5/8	2075	4600
18	1/2 X 2 1/2	1/4 X 2 1/2	1 1/8	15 3/4	24 3/4	6 1/2	13 15/16	3 3/4	2420	4800
20	5/8 X 3	3/8 X 3	1 1/4	17 3/8	27 3/8	7	14 7/16	4	4225	4800
24	5/8 X 3	3/8 X 3	1 1/4	19 5/8	31 5/8	7 1/2	17 1/2	4 1/4	4600	4800

* WITH A MINIMUM SAFETY FACTOR OF 5. FACTORY MUTUAL APPROVED 3/4"-8".

MATERIAL: CARBON STEEL
 FINISH: BLACK; PAINTED OR ELECTRO-GALVANIZED
 SERVICE: FOR THE SUSPENSION OF NON-INSULATED, STATIONARY PIPE LINES.

STANDARD FOR ADJUSTABLE CLEVIS HANGER

REVISIONS		
NO	DATE	DESCRIPTION

CITY OF ROCKY MOUNT
 DEPT. OF ENGINEERING

APPROVED
-

DATE
07-13-01

STD. NO.
5.29

REVISION
-