

PAVEMENT LEGEND

100

PAVEMENT RE-SURFACING

2"± S9.5B ASPHALT

EX. ASPHALT (2"±)

EX CABC (MIN 6")

EX SUBGRADE

101

ROAD WIDENING

2"± S9.5B

1½" B25.0C

6" #57 STONE

COMPACTED SUBGRADE

2"± S9.5B ASPHALT

EX. ASPHALT (OR STONE)

EX CABC

EX SUBGRADE

102

PAVING UNSURFACED ROAD

2"± S9.5B ASPHALT

0-2" CABC AS DIRECTED BY CITY

EX CABC

EX SUBGRADE

103

PIPE COVER

15" RCP

10" MIN

15" RCP

* SEE CRM 1.06 FOR BEDDING DETAILS

The main site plan shows a residential area with Vans Drive running horizontally and Triple Court running vertically. The plan includes numerous annotations for erosion and sedimentation control, such as 'CONTRACTOR TO PROVIDE 10 FT WIDE x 7 FT PAVED TURNOUT AT EACH EX. DRIVEWAY.' and 'CONTRACTOR TO INSTALL WATTLE CHECK DAMS (DET. 104.01B), OR ROCK SILT CHECK DAM (CRM DET. 3.9), ETC., TO CONTAIN SEDIMENT ONSITE.' It also shows property lines, owner names, and addresses. A north arrow is located in the top right corner of the plan area.

BEFORE YOU DIG,
CALL
811

NORTH CAROLINA
ONE-CALL CENTER

www.ncocc.org

These plans are for bidding purposes only and are not to be used as Construction drawings unless Initialed and dated as approved for Construction below by the Engineer.

Approved for Construction: _____ Date: _____

BOUNDARY DESCRIPTION SHOWN
IS NOT FOR RECORDATION.

RECORD DRAWINGS:

These drawings are believed to be a correct representation of actual field conditions but are not warranted as such.

By: _____ Date: _____

CONSTRUCTION SAFETY

These drawings do not contain the requirements for job safety. All provisions for safety shall be the sole responsibility of the contractor.

EXISTING CONDITIONS:

The contractor shall be responsible for reviewing all existing job conditions. Any adverse existing conditions affecting work shown on these drawings shall be brought to the attention of the engineer for possible clarification or reconciliation.

ADA AND LEGAL DISCLAIMER

This document is not represented to comply with all requirements contained in the ADA or other laws. Engineers are not licensed to interpret laws or give advice concerning laws, the owner should have this document reviewed by his attorney to determine legal compliance.

CONTOURS SHOWN ARE FROM NCDOT AND ARE SHOWN FOR REFERENCE ONLY

Appian

CONSULTING ENGINEERS, P.A.
CIVIL, MUNICIPAL &
STRUCTURAL ENGINEERS
BLN = C0562

154 Roundabout Ct.
P.O. Box 7966
Rocky Mount, N.C. 27804
Phone: (252) 972-7703

www.appianengineers.com
admin@appianengineers.com

THESE PLANS WERE
PRINTED USING COLOR.
IF THIS NOTE IS NOT SHOWN
IN RED, PLEASE REFER TO
ORIGINAL PLANS.

Final Drawings
Review Purposes ONLY

DAVID C. REYOR

SEAL
26959

ENGINEER
DAVID C. REYOR
11/16/2022

VANS DRIVE AND TRIPLE COURT
Dirt Street Paving Project:
Lewy Lane & Triple Court
Edgecombe County, Rocky Mount, N.C.

21-124
D-0000
CE-3