



DETAIL

FILTER FABRIC OR 4" MIN.
#57 OR #67 WASHED STONE
UNDER RIP-RAP



LONGITUDINAL SECTION A-A



NOTE: "D" EQUALS DIAMETER OF PIPE
OR BOTTOM WIDTH OF CHANNEL.

CHANNEL INTERSECTIONS

- GENERAL NOTES:
1. IF BEDROCK IS ENCOUNTERED WITHIN THE LIMITS OF THE TOEWALL, BEGIN TOEWALL ON THE BEDROCK OR AS DIRECTED BY THE ENGINEER.
 2. SEE STD. RIP RAP CHANNEL LINING DWG. FOR MAXIMUM SLOPES AND MINIMUM CHANNEL WIDTHS.
 3. CHANNEL AND RIP RAP SIZE TO BE DESIGNED BY THE ENGINEER.
 4. DEPENDING ON SOIL CONDITIONS, WASHED STONE AND FILTER FABRIC MAY BE NECESSARY UNDER RIP RAP.
 5. CHANNEL DEPTH "H" SHALL INCLUDE A MINIMUM 6" OF FREEBOARD.

CONFLUENCE & TERMINUS DETAILS FOR RIP RAP

REVISIONS		
NO	DATE	DESCRIPTION

CITY OF ROCKY MOUNT
DEPT. OF ENGINEERING

APPROVED
-

DATE
04-10-00

STD. NO.
3.11

REVISION
-