

NOTES:

1. FOR AREAS OF DISTURBANCE EXCEEDING ONE ACRE (SINGLE CONTIGUOUS SITE OR MULTIPLE SITES BEING DEVELOPED AS PART OF THE SAME PROJECT), A SEDIMENTATION & EROSION CONTROL PERMIT SHALL BE REQUIRED PRIOR TO START OF DISTURBANCE. PLEASE NOTE THAT THE ONE ACRE THRESHOLD IS FOR PERMIT REQUIREMENT PRIOR TO START OF DISTURBANCE ONLY. ALL LAND DISTURBING ACTIVITIES IRREGARDLESS OF SIZE ARE REQUIRED TO CONTAIN SEDIMENT WITHIN THE PROPERTY BOUNDARIES UNLESS EXPRESSLY EXEMPTED IN SECTION 17 OF THE CODE OF CRM.
2. FOR SMALLER SITES, MEASURES AS SHOWN ON STD. NO. 3.19 SHALL BE RECOMMENDED TO REDUCE THE RISK OF DAMAGE TO WATER RESOURCES, ADJACENT PROPERTIES, PUBLIC LAND, AND INFRASTRUCTURE IN ACCORDANCE WITH SECTION 17.
3. IF EROSION AND/OR SEDIMENTATION PROBLEMS ON A SITE SMALLER THAN ONE ACRE ARE NOT CORRECTED WHEN BROUGHT TO THE ATTENTION OF THE OWNER, DEVELOPER, OR FINANCIALLY RESPONSIBLE PARTY, THE WORK ON THE SITE MAY BE STOPPED AND A PLAN SUBMITTAL REQUIRED.

CONSTRUCTION NOTES FOR SMALL DISTURBANCES (SHEET 2 OF 2)

REVISIONS			CITY OF ROCKY MOUNT DEPT. OF ENGINEERING	APPROVED -	STD. NO. 3.20
NO	DATE	DESCRIPTION			
				DATE 05-03-00	REVISION -